

EDA095

Web Protocols and Architecture

Pierre Nugues

Lund University
http://cs.lth.se/home/pierre_nugues/

May 12, 2010

Covers: Chapter 15, pages 493–551, *Java Network Programming*, 3rd ed., Elliotte Rusty Harold



TFTP: The Packets I

RRQ	x01	filename	0	mode	0
	2 b.	N bytes	1 b.	N bytes	1 b.

WRQ	x02	filename	0	mode	0
	2 b.	N bytes	1 b.	N bytes	1 b.

DATA	x03	block#	data	
	2 b.	2 b.	0..512 bytes	

ACK	x04	block#	
	2 b.	2 b.	

ERROR	x05	Errcode	errstring	0
	2 b.	2 bytes	N bytes	1 b.



An Example of Protocol: TFTP

The Trivial File Protocol Transfer (TFTP) is a protocol to transfer files
TFTP is a simplified and unconnected FTP.

It is build on top of UDP although an implementation with TCP is possible
The description is available here <http://tools.ietf.org/html/rfc783>
It is an example of unsupported protocol that the URL class fails to locate
The TFTP datagram:

Ethernet IP UDP TFTP

A didactical implementation is available in W. Richard Stevens, *Unix Network Programming*, Prentice-Hall, 1990,
<http://www.kohala.com/start/unp.html>,
http://en.wikipedia.org/wiki/W._Richard_Stevens



TFTP: Errors

The mode is one of: netascii (lines ending with \r\n or \r\0), octet, or mail.

The TFTP protocol defines a set of error values:

Value	Meaning
0	Not defined, see error message (if any).
1	File not found.
2	Access violation.
3	Disk full or allocation exceeded.
4	Illegal TFTP operation.
5	Unknown transfer ID.
6	File already exists.
7	No such user.



Sending a file		Receiving a file	
Client	Server	Client	Server
WRQ →	← ACK 0	RRQ →	← DATA 1
DATA 1 →	← ACK 1	ACK 1 →	← DATA 2
DATA 2 →	← ACK 2	ACK 2 →	← DATA 3
DATA 3 →	← ACK 3	ACK 3 →	← DATA 4
...			



Modeling the Communications: Finite-State Machines (II)

Sent	Received				
	RRQ	WRQ	DATA	ACK	ERROR
nothing	•	•			
RRQ					
WRQ					
DATA				•	
ACK				•	
ERROR					

Table: Server. After Richard Stevens, *Unix Network Programming*, Prentice-Hall, 1990, page 501



Modeling the Communications: Finite-State Machines

We can model the behavior of the client and the server using finite-state machines.

Sent	Received				
	RRQ	WRQ	DATA	ACK	ERROR
RRQ				•	•
WRQ				•	•
DATA				•	
ACK				•	
ERROR					•

Table: Client. After Richard Stevens, *Unix Network Programming*, Prentice-Hall, 1990, page 501.



Programming TFTP

From Richard Stevens, *Unix Network Programming*, Prentice-Hall, 1990, pages 502–503 and 508–511.

- Define functions for all possible transitions: `recv_DATA` for state [sent = OP_ACK] [recv = OP_DATA] (client)
 - `recv_DATA` calls `send_ACK`
- ```
send_ACK(int blocknum)
{
 stshort(OP_ACK, sendbuff);
 stshort(blocknum, sendbuff + 2);
 sendlen = 4;
 net_send(sendbuff, sendlen);
 op_sent = OP_ACK;
}
```

where we have `extern char sendbuff[]` and  
`#define stshort(sval, addr)`  
`(*((u_short *) (addr)) = htons(sval))`





## HTTP Response

Servers send a response: header followed by data

- ① Protocol, status code, textual phrase

HTTP/1.1 200 OK

- ② Sequence of parameter names followed by ':' and values

Date: Wed, 05 May 2010 14:42:26 GMT

Server: Apache/2.2.3 (Red Hat)

..

Connection: close

Content-Type: text/html; charset=iso-8859-1

- ③ Empty line: \r\n

- ④ Data

<html>

...

</html>



## Reading a URL

```
try {
 URL myDoc = new URL("http://cs.lth.se/");
 URLConnection uc = myDoc.openConnection();
 InputStream is = uc.getInputStream();
 BufferedReader bReader =
 new BufferedReader(new InputStreamReader(is));
 String line;
 while ((line = bReader.readLine()) != null) {
 System.out.println(line);
 }
} catch (Exception e) { e.printStackTrace(); }
```

//ReadURL.java

Nearly the same as in ViewHTML.java except that we have a URLConnection object instead of an InputStream object.



## URLConnection

URLConnection represents a communications link between the application and a URL.

It is created from a URL object that calls openConnection()

It is more complex than openStream() but more flexible

In fact, openStream() is a shortcut that corresponds to openConnection().getInputStream()

It enables the programmer to have more control over a connection:

- Access the header fields
- Configure the client properties
- Use more elaborate commands (POST, PUT for HTTP)
- Write a protocol handler



## Reading the Header

The header is part of the HTTP protocol and consists of a list of pairs: parameter/value. There are two main methods to read it:

- String getHeaderFieldKey(int n) // the parameter name of the nth header
- String getHeaderField(int n) // the parameter of the nth header

Headers have typical parameters: Date, Content type, etc.

There are shortcuts to access them:

- String getContentEncoding()
- String getContentType()
- long getDate(), etc.



## Reading the Header (I)

Extracting the complete list:

```
try {
 URL myDoc = new URL("http://cs.lth.se/");
 URLConnection uc = myDoc.openConnection();
 for (int i = 0; ; i++) {
 String header = uc.getHeaderField(i);
 if (header == null) break;
 System.out.println(uc.getHeaderFieldKey(i) + ":" +
 header);
 }
} catch (Exception e) {
 e.printStackTrace();
}

// ReadHeader.java
```



## MIME

The MIME (Multipurpose Mail Internet Extensions) is a tag to identify the content type. RFC 2045 and 2046  
(<http://tools.ietf.org/html/rfc2045>)

MIME defines a category and a format: a type and a subtype  
Useful MIME types are text/html, text/plain, image/gif,  
image/jpeg, application/pdf, and so on.

In ReadHeader.java, let's replace

```
URL myDoc = new URL("http://cs.lth.se/");
```

with

```
URL myDoc = new URL("http://fileadmin.cs.lth.se/cs/Bilder/
 Grundplatta-3.jpg");
```

HTTP servers should send a content type together with data. It is not  
always present however.

Sometimes, the client has to guess using  
`URLConnection.guessContentTypeFromStream()`



## Reading the Header (II)

Extracting selected parameters:

```
try {
 URL myDoc = new URL("http://cs.lth.se/");
 URLConnection uc = myDoc.openConnection();
 System.out.println("Date: " + new Date(uc.getDate()));
 System.out.println("Content type: " + uc.getContentType());
 System.out.println("Content encoding: " +
 uc.getContentEncoding());
 System.out.println("Last modified: " + uc.getLastModified())
} catch (Exception e) {
 e.printStackTrace();
}

// ReadHeader2.java
```



## Downloading Text (and Ignoring the Rest)

```
public ArrayList<URL> readURL(URL url) {
 LinkGetter callback = null;
 try {
 URLConnection uc = url.openConnection();
 String type = uc.getContentType().toLowerCase();
 // We read only text pages
 if ((type != null) && !type.startsWith("text/html")) {
 System.out.println(url + " ignored. Type " + type);
 return null;
 }
 ParserGetter kit = new ParserGetter();
 HTMLEditorKit.Parser parser = kit.getParser();
 ...
 }
}
```



## An Elementary Form

A text box:

---

Radio buttons:

- FM
- LW
- SW

A drop-down list:

---



```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
 <meta http-equiv="Content-Type" content="text/html;
 charset=UTF-8"/>
 <title>Testing HTML forms</title>
</head>
<body>
 <h1>An Elementary Form</h1>
 <form action="http://localhost:25001/program.sh"
 method="post">
 <p>A text box: <input type="text" name="name" value="">
 size="30"/></p>
 <hr/>
```



## HTML Code

```
<p>Radio buttons:</p>

 <input type="radio" name="buttons" value="FM"
 checked="checked"/>FM
 <input type="radio" name="buttons" value="LW"/>
 LW

 <input type="radio" name="buttons" value="SW"/>
 SW


```



## HTML Code

```
<p>A drop-down list:</p>
<p>
 <select name="dropdown">
 <option selected="selected">Low</option>
 <option>Medium</option>
 <option>High</option>
 </select>
</p>
<hr/>
<p>
 <input type="submit" value="Send!"/>
 <input type="reset" value="Cancel"/>
</p>
</form>
</body>
</html>
```



## HTTP Request with POST

To send data URL `http://cs.lth.se/pierre_nugues/prog.sh`, the request consists of:

- ① HTTP method, URL, version

```
POST /pierre_nugues/prog.sh HTTP/1.0
```

- ② Sequence of parameter names (46 types) followed by ':' and values – pairs Name: Value

```
Accept: text/plain
```

```
...
```

```
Host: www.cs.lth.se
```

```
User-Agent: Mozilla/4.0
```

- ③ Empty line: \r\n

- ④ Data length should match the Content-Length attribute

RFC 2616 (<http://www.ietf.org/rfc/rfc2616.txt>)



## An Example of HTTP Request with GET

URL: `http://localhost:25001/program.sh?name=My+text&buttons=FM&dropdown=Low`

```
GET /program.sh?name=My+text&buttons=FM&dropdown=Low HTTP/1.1
User-Agent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_5_6;
fr-fr) AppleWebKit/528.16 (KHTML, like Gecko) Version/4.0
Safari/528.16
Accept: application/xml,application/xhtml+xml,text/html;q=0.9,
text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language: fr-fr
Accept-Encoding: gzip, deflate
Connection: keep-alive
Host: localhost:25001
```



## An Example of HTTP Request with POST

```
POST /program.sh HTTP/1.1
```

```
User-Agent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_5_6;
AppleWebKit/528.16 (KHTML, like Gecko) Version/4.0
Safari/528.16
```

```
Content-Type: application/x-www-form-urlencoded
```

```
Accept: application/xml,application/xhtml+xml,text/html;q=0.9,
text/plain;q=0.8,image/png,*/*;q=0.5
Origin: file://
Accept-Language: fr-fr
Accept-Encoding: gzip, deflate
Content-Length: 36
```

```
Connection: keep-alive
```

```
Host: localhost:25001
```

```
name=My+text&buttons=FM&dropdown=Low
```



## Configuring the Parameters

A set of `URLConnection` methods enables a program to read and modify the connection's request parameters:

- protected boolean `connected` //false
- protected boolean `doInput` // true
- protected boolean `doOutput` // false
- protected URL `url`, etc.

The methods to read and modify the connection are:

- URL `getURL()`
- boolean `getDoInput()`
- void `setDoInput(boolean)`
- String `getRequestProperty(String key)`
- void `setRequestProperty(String key, String value)`



## Getting the Parameters

```
try {
 URL myDoc = new URL("http://cs.lth.se/");
 URLConnection uc = myDoc.openConnection();
 System.out.println("URL: " + uc.getURL());
 System.out.println("Do Input: " + uc.getDoInput());
 System.out.println("Do Output: " + uc.getDoOutput());
 uc.setDoOutput(true);
 System.out.println("Do Output: " + uc.getDoOutput());
} catch (Exception e) {
 e.printStackTrace();
}

// ReadParameters.java
```



## Queries

The query *Nugues* to Google is a sequence of pairs (name, value)

<http://www.google.com/search?source=ig&hl=fr&rlz=&q=nugues>

URISplitter extracts the query:

source=ig&hl=fr&rlz=&q=nugues

We can create a GET request using the URL constructor and send it to

Google openStream()

Google returns a 403 error: Forbidden. AltaVista is nicer.

//GoogleQuery.java

POST would send

Content-Type: application/x-www-form-urlencoded

Content-Length: 29

Connection: close

source=ig&hl=fr&rlz=&q=nugues



## Google

The input box of the Google page

```
<form action=/search name=f>...
 <input type=hidden name=hl value=sv>
 <input maxLength=256 size=55 name=q value="">
 <input type=submit value="Google-sökning" name=btnG>
 <input type=submit value="Jag har tur" name=btnI>
 <input id=all type=radio name=meta value="" checked>
 <label for=all> webben</label>
 <input id=lgr type=radio name=meta value="lr=lang_sv" >
 <label for=lgr> sidor på svenska</label>
 <input id=cty type=radio name=meta value="cr=countrySE" >
 <label for=cty>sidor från Sverige</label>...
</form>
```



## Faking the Lizard

A naïve Google query from Java fails miserably:

Server returned HTTP response code: 403 for URL:

<http://www.google.com/search?source=ig&hl=fr&rlz=&q=nugues>



Google sets constraints on the user agent.

It is possible to remedy this.

Just set a user agent corresponding to a known browser

```
uc.setRequestProperty("User-Agent", "Mozilla/5.0");
```



## Using the POST Command

The two main commands of a HTTP client are GET and POST

GET sends parameters as an extension of a URL address

They are visible to everybody

How to send data with POST?

Programs FormPoster.java and QueryString.java from Elliotte Rusty Harold, *Java Network Programming*, page 519 and page 212 are examples of it. (<http://www.cafeaulait.org/books/jnp3/examples/15/>)

They form a client that works in conjunction with a server and formats a query.

The query is sent back by the server



## Using the POST Command

Switching from GET to POST is done implicitly through `setDoOutput()`

```
URLConnection uc = url.openConnection();
uc.setDoOutput(true);
OutputStreamWriter out =
 new OutputStreamWriter(uc.getOutputStream(), "ASCII");
out.write(query.toString());
out.write("\r\n");
out.flush();
out.close();
```

The client header is sent automatically



## Formatting a Query

`QueryString.java` encodes and formats a query.

The pairs of parameter names (keys) and values are separated with &

In the example, we send:

- Name: Elliotte Rusty Harold
- Email: elharo@metalab.unc.edu



## Using the POST Command (II)

`HttpURLConnection` is a subclass designed to carry out HTTP interaction  
The POST method is more explicit with it and the `setRequestMethod()`

```
HttpURLConnection uc =
 (HttpURLConnection) url.openConnection();
uc.setRequestMethod("POST");
uc.setDoOutput(true);

(FormPoster2.java)
```



## HttpURLConnection

Possible requests with HttpURLConnection are:

- GET // default download
- POST
- PUT // Upload a file
- DELETE // delete a file
- HEAD // same as GET but return the header only
- OPTIONS // lists the possible commands
- TRACE // send back the header

This makes provision to manage HTTP protocol codes directly at the API level.



## Extending URL Classes

We have used the URL class with supported protocols (HTTP, FTP) and to transfer text.

It is possible to extend it to new or unsupported protocols and to other media.

Most implementations divide it into two tasks:

- Handling protocols
- Handling content

Both tasks are described in Chapter 16 and 17 of Elliotte Rusty Harold, *Java Network Programming*.



## FTP

```
//URL url = new URL("ftp://username:password@ftp.whatever.com,

URL url =
new URL("ftp://ftp:Pierre.Nugues%40cs.lth.se@ftp.sics.se/pub/'
URLConnection uc = url.openConnection();
InputStream is = uc.getInputStream();
BufferedReader bReader =
new BufferedReader(new InputStreamReader(is));
String line;
while ((line = bReader.readLine()) != null) {
System.out.println(line);
}

//ReadURLftp.java
```



## REST Architecture

REST – representation state transfer – An a posteriori model of the web: clients, servers, and HTTP

RESTful architecture implicitly means: the client-server transactions based on three standards:

- HTTP:
  - Transfer protocol of the web
  - On top of TCP/IP
  - Pairs of requests from clients and responses from servers
- URI/URLs:
  - A way to name and address objects on the net
- HTML/XML



## REST Methods

Most web servers use databases to store data.

REST transactions are essentially database operations.

In the context of REST, we reuse HTTP methods with a different meaning.

This defines the interaction protocol or API.

CRUD is another name of the same concept.

The CRUD operations are mapped onto HTTP methods.


CRUD names	HTTP methods
Create	POST
Read (Retrieve)	GET
Update	PUT
Delete	DELETE

See: [http://en.wikipedia.org/wiki/Create,\\_read,\\_update\\_and\\_delete](http://en.wikipedia.org/wiki/Create,_read,_update_and_delete)



## REST Methods: GET

We retrieve a meeting with GET




## REST Methods: POST

Doodle is a popular planning service for meetings: <http://doodle.com/>

Doodle uses a REST API:

<http://doodle.com/xsd1/RESTfulDoodle.pdf>

We create a meeting (poll in Doodle) with POST



## REST Methods: PUT

We update a meeting with PUT



## REST Methods: DELETE

We delete a meeting with DELETE



## REST and Sesame

Sesame extends the REST protocol to manage graphs:

- GET: Fetches statements from the repository.
- PUT: Updates data in the repository, replacing any existing data with the supplied data. The data supplied with this request is expected to contain an RDF document in one of the supported RDF formats.
- DELETE: Deletes statements from the repository.
- POST: Performs updates on the data in the repository. The data supplied with this request is expected to contain either an RDF document or a special purpose transaction document. In case of the former, the statements found in the RDF document will be added to the repository. In case of the latter, the updates specified in the transaction document will be executed.



## HTTP Methods and REST

Amazon S3 is another example (from RESTful web services, Chap. 3, O'Reilly)

It uses two types of objects: buckets (a folder or a collection) and objects and four methods: GET, HEAD, PUT, and DELETE

	GET	HEAD	PUT	DELETE
Bucket	List content		Create bucket	Delete bucket
Object	Get data and metadata	Get metadata	Set values and metadata	Delete object

One example among others...



## REST Examples

Get all repositories (tuple query):

```
curl -X GET -H "Accept: application/sparql-results+xml"
http://asimov.ludat.lth.se/openrdf-sesame/repositories
```

Delete all statements in the repository:

```
curl -X DELETE
http://asimov.ludat.lth.se/openrdf-sesame/repositories/sandalz
```

SPARQL queries is also straightforward.

A SELECT query: `SELECT ?s ?p ?o WHERE {?s ?p ?o}` (tuple query):

```
curl -X GET -H "Accept: application/sparql-results+json"
http://asimov.ludat.lth.se/openrdf-sesame/repositories/sandalz
?query=SELECT+%3fs+%3fp+%3fo+WHERE+%7b%3fs+%3fp%3fe%7d
```



Few programmers would build a REST application from scratch.

There are plenty of tools available:

- Reference:

JSR 311, JAX-RS: The Java API for RESTful Web Services,  
<http://jsr311.java.net/>

- Tools:

cURL, a command line tool, <http://curl.haxx.se/>  
Poster, a plugin module for Firefox, <https://addons.mozilla.org/en-US/firefox/addon/poster/>  
soapUI, <http://www.soapui.org/>

- Implementation:

Jersey, <http://jersey.java.net/>

