

# Bayesian learning

(with a recap of HMMs)

Applied artificial intelligence (EDAI32)

Lecture 11


2017-02-22

Elin A. Topp


Material based on course book, chapters 14.1-3, 20,  
and on Tom M. Mitchell, “Machine Learning”, McGraw-Hill, 1997

# The Markov assumption

A process is *Markov* (i.e., complies with the Markov assumption), when any given state  $X_t$  depends only on a *finite and fixed number of previous states*.



# A first-order Markov chain as Bayesian network



# “HMM”

## Hidden Markov models

A specific class of models (sensor and transition) to be plugged into algorithms for filtering, predicting, learning - which makes the algorithms more specific as well!

### Main idea:

The state is represented by a *single discrete random variable*, taking on values that represent the (all) possible states of the world.

Complex states, e.g., the location and the heading of a robot in a grid world can be merged into one variable; the possible values are then all possible tuples of the values for each original “single” variable.

# “HMM”

## State transition and sensor model

We get the following notation:

$X_t$  the state at time  $t$ , taking on values  $1 \dots S$ , with  $S$  the number of possible states / values.

$E_t$  the observation at time  $t$

The *transition* model  $P(X_t | X_{t-1})$  is then expressed as  $S \times S$  matrix  $T$ :

$$T_{ij} = P(X_t = j | X_{t-1} = i) \text{ in time step } t$$

The *sensor* model for the corresponding observations depending on the current state, i.e.,  $P(e_t | X_t = i)$  is then expressed as  $S \times S$  diagonal matrix  $O$  in time step  $t$  with

$$O_{ij}^{e-t} = P(e_t | X_t = i) \quad \text{for } i = j \quad \text{and}$$

$$O_{ij}^{e-t} = 0 \quad \text{for } i \neq j$$

# Forward-backward equations as matrix-vector operations

Forward-equation (recap)

$$P(\mathbf{X}_{t+1} \mid \mathbf{e}_{1:t+1}) = f(\mathbf{X}_t \mid \mathbf{e}_{1:t}, \mathbf{e}_{t+1}) = \mathbf{f}_{1:t+1} = \alpha P(\mathbf{e}_{t+1} \mid \mathbf{X}_{t+1}) \sum_{\mathbf{x}_t} P(\mathbf{X}_{t+1} \mid \mathbf{x}_t) P(\mathbf{x}_t \mid \mathbf{e}_{1:t})$$

becomes  $\mathbf{f}_{1:t+1} = \alpha \mathbf{O}_{t+1} \mathbf{T}^T \mathbf{f}_{1:t}$

Backward-equation (recap)

$$P(\mathbf{e}_{k+1:t} \mid \mathbf{X}_k) = \mathbf{b}_{k+1:t} = \sum_{\mathbf{x}_{k+1}} P(\mathbf{e}_{k+1} \mid \mathbf{x}_{k+1}) P(\mathbf{e}_{k+2:t} \mid \mathbf{x}_{k+1}) P(\mathbf{x}_{k+1} \mid \mathbf{X}_k)$$

becomes  $\mathbf{b}_{k+1:t} = \mathbf{T} \mathbf{O}_{k+1} \mathbf{b}_{k+2:t}$


Forward-Backward-equation is then still  $\propto \mathbf{f}_{1:k} \times \mathbf{b}_{k+1:t}$

# Inference in temporal models

## - what can we use all this for?

- **Filtering:** Finding the belief state, or doing state estimation, i.e., computing the posterior distribution over the *most recent state*, using evidence up to this point:  $\mathbb{P}(X_t | e_{1:t})$
- **Predicting:** Computing the posterior over a *future state*, using evidence up to this point:  $\mathbb{P}(X_{t+k} | e_{1:t})$  for some  $k > 0$  (can be used to evaluate course of action based on predicted outcome)
- **Smoothing:** Computing the posterior over a past state, i.e., understand the past, given information up to this point:  $\mathbb{P}(X_k | e_{1:t})$  for some  $k$  with  $0 \leq k < t$
- **(Explaining:** Find the best explanation for a series of observations, i.e., computing  $\operatorname{argmax}_{x_{1:t}} P(x_{1:t} | e_{1:t}))$
- **Learning:** If sensor and / or transition model are not known, they can be learned from observations (by-product of inference in Bayesian network - both static or dynamic). Inference gives estimates, estimates are used to update the model, updated models provide new estimates (by inference). Iterate until converging - and you have an instance of the EM-algorithm.

# A robot's view of the world...



Which combination of point group features corresponds to person-leg, which to furniture?

# What category of “thing” is shown to me?





Which combination of behavioural features corresponds to which item category?

# Bayesian learning.

We want to classify / categorize / label new observations based on experience

More general: We want to *predict* and *explain* based on (limited) experience, to find categories / labels for observations or even the model for “how things work” (transition models, sensor models) *given a series of (explained) observations*.

# Predicting the next outcome



Candy bags with different percentages of flavours “lime” and “cherry”.  
A bag is opened, the contents are in front of you, the bag is gone. Which type was it?

Hypotheses for types of pattern collection (i.e., images from a certain situation) are still available, with their *priors*:

$h_1$ : 100% Cherry

$P(h_1) = 0.1$

$h_2$ : 75% Cherry, 25% Lime

$P(h_2) = 0.2$

$h_3$ : 50% Cherry, 50% Lime

$P(h_3) = 0.4$


$h_4$ : 25% Cherry, 75% Lime

$P(h_4) = 0.2$

$h_5$ : 100% Lime

$P(h_5) = 0.1$

# Maximum Likelihood




We can predict (probabilities) by maximizing the likelihood of having observed some particular data with the help of the *Maximum Likelihood* hypothesis:

$$h_{\text{ML}} = \underset{h}{\operatorname{argmax}} P(D | h)$$

... which is a strong simplification disregarding the priors...

# “Maximum A Posteriori” - MAP




Finding the slightly more sophisticated *Maximum A Posteriori* hypothesis:

$$h_{\text{MAP}} = \underset{h}{\operatorname{argmax}} P(h \mid D)$$

Then predict by assuming the MAP-hypothesis (quite bold)

$$\mathbb{P}(X \mid D) = P(X \mid h_{\text{MAP}})$$


# Optimal Bayes learner




Prediction for  $X$ , given some observations  $\mathbf{D} = \langle d_0, d_1, \dots, d_n \rangle$

$$\mathbb{P}(X | \mathbf{D}) = \sum_i \mathbb{P}(X | h_i) P(h_i | \mathbf{D}) \quad \text{in first step, } P(h_i | \mathbf{D}) = P(h_i) \dots$$



# Posterior probabilities



Posterior probability  
for hypothesis  $h_k$  after  
 $i$  observations



# Prediction after sampling, OBC



# The Gibbs Algorithm

Optimal Bayes Learner is costly, MAP-learner might be as well.

Gibbs algorithm (surprisingly well working under certain conditions regarding the a posteriori distribution for  $H$ ):

1. Choose a hypothesis  $h$  from  $H$  *at random*, according to the posterior probability distribution over  $H$  (i.e., rule out “impossible” hypotheses)
2. Use  $h$  to predict the classification of the next instance  $x$ .

# Bayes' Rule

$$\text{Bayes' Rule } P(a | b) = \frac{P(b | a) P(a)}{P(b)}$$

or in distribution form:

$$\mathbb{P}(Y | X) = \frac{\mathbb{P}(X | Y) \mathbb{P}(Y)}{\mathbb{P}(X)} = \alpha \mathbb{P}(X | Y) \mathbb{P}(Y)$$

Useful for assessing *diagnostic* probability from *causal* probability  
- assume hypothesis / class as causing the observations / features

$$P(\text{Cause} | \text{Effect}) = \frac{P(\text{Effect} | \text{Cause}) P(\text{Cause})}{P(\text{Effect})}$$

And, if independence ( at least conditional such) can be assumed:

Naive Bayes model:  $\mathbb{P}(\text{Cause}, \text{Effect}_1, \dots, \text{Effect}_n) = \mathbb{P}(\text{Cause}) \prod_i \mathbb{P}(\text{Effect}_i | \text{Cause})$

# Naive Bayes classifier

Each instance (pattern) with a value  $v_j$  from a fixed set  $V$  ( $= \{\text{furniture, person}\}$ ) in a training set (all patterns registered and annotated) is described by several attributes  $\langle a_1, \dots, a_i, \dots, a_n \rangle$  (e.g., number of laser data points, curvature of the “arc”, distance from first to last point)

Now we try to maximise:

$$\begin{aligned} v_{\text{MAP}} &= \underset{v_j}{\operatorname{argmax}} P(v_j \mid a_1, a_2, \dots, a_n) \\ &= \underset{v_j}{\operatorname{argmax}} \frac{P(a_1, a_2, \dots, a_n \mid v_j) P(v_j)}{P(a_1, a_2, \dots, a_n)} \\ &= \underset{v_j}{\operatorname{argmax}} P(a_1, a_2, \dots, a_n \mid v_j) P(v_j) \end{aligned}$$

And (by assuming independence) end up with the Naive Bayes Classifier  
(corresponding to the MAP-hypothesis, if the observations are seen as features):


$$v_{\text{NB}} = \underset{v_j}{\operatorname{argmax}} P(v_j) \prod_i P(a_i \mid v_j)$$

# Expressed as a BN: (true model)

N = No of points,  
n1 = "N < threshold", n2 = "N >= threshold"

C = Curvature,  
c1 = "C=strong", c2 = "weak"

D = Distance first to last point,  
d1 = "D < threshold", d2 = "D >= threshold"



Class	$P(N=n1   \text{Class}) = P(C = c1   \text{Class}) = P(D = d1   \text{Class})$
Furniture	0.8
Person	0.3

# Learning Bayesian Belief Networks

Two issues:

Learning the CPTs given a suitable structure AND all variables are observable:

Estimate the CPTs as for a Naive Bayes Classifier / Learner (relatively easy)

Learning the CPTs given a network structure with only partially observable variables:

Corresponds to learning the weights of hidden units in a neural network (ascent gradient or EM)

Learning the network structure

Difficult. Bayesian scoring method for choosing among alternative networks.

# Expectation maximization - EM algorithm

A situation with some variables being sometimes unobservable, sometimes observable is quite common.

Use the observations that *are* available to predict in cases where there is not any observation.

Step 1: Estimate value for the hidden variable given some parameters (observed, initial...)


Step 2: Maximize parameters assuming this estimate

# Finding the numbers ... (model lost)

N = No of points,  
 $n1 = "N < \text{threshold}"$ ,  $n2 = "N \geq \text{threshold}"$

C = Curvature,  
 $c1 = "C = \text{strong}"$ ,  $c2 = "C = \text{weak}"$

D = Distance first to last point,  
 $d1 = "D < \text{threshold}"$ ,  $d2 = "D \geq \text{threshold}"$



Class	$P(N=n1   \text{Class}) = P(C = c1   \text{Class}) = P(D = d1   \text{Class})$
Furniture	0.6?
Person	0.4?

# Excourse: Classifying text

Our approach to representing arbitrary text is disturbingly simple: Given a text document, such as this paragraph, we define an attribute for each word position in the document and define the value of that attribute to be the English word found in that position. Thus, the current paragraph would be described by  $l$  attribute values, corresponding to the  $l$  word positions. The value of the first attribute is the word “our”, the value of the second attribute is the word “approach”, and so on. Notice that long text documents will require a larger number of attributes than short documents. As we shall see, this will not cause us any trouble. (\*)

$$v_{NB} = \underset{v_j \in \{\text{like, dislike}\}}{\operatorname{argmax}} P(v_j) \prod_{i=1}^l P(a_i | v_j) = P(v_j) P(a_1 = \text{“our”} | v_j) * \dots * P(a_l = \text{“trouble”} | v_j)$$

(\*)[Tom M. Mitchell, “Machine Learning”, p 180]

# Naive Bayes Classifier for text

Given a test person who classified 1000 text samples into the categories “like” and “dislike” (i.e., the target value set  $V$ ) and those text samples (*Examples*), the text from the previous slide is to be classified with the help of the Naive Bayes Classifier. This algorithm (from Tom M. Mitchell, “Machine Learning”, p 183) assumes (and learns) the *m*-estimate for  $P(w_k | v_j)$ , the term describing the probability that a randomly drawn word from a document in class  $v_j$  will be the word  $w_k$ .

LEARN\_NAIVE\_BAYES\_TEXT( *Examples*,  $V$  )

/\* learn probability terms  $P(w_k | v_j)$  and the class prior probabilities  $P(v_j)$  \*/

1. Collect all words, punctuation, and other tokens that occur in *Examples*

- *Vocabulary*  $\leftarrow$  the set of all distinct words and other tokens occurring in any text document from *Examples*

2. calculate the required  $P(v_j)$  and  $P(w_k | v_j)$  terms

- *docs<sub>j</sub>*  $\leftarrow$  the subset of documents from *Examples* for which the target value is  $v_j$
- $P(v_j) \leftarrow | docs_j | / | Examples |$
- *Text<sub>j</sub>*  $\leftarrow$  a single document created by concatenating all members of *docs<sub>j</sub>*
- $n \leftarrow$  total number of distinct word positions in *Text<sub>j</sub>*
- for each word  $w_k$  in *Vocabulary*
  - $n_k \leftarrow$  number of times word  $w_k$  occurs in *Text<sub>j</sub>*
  - $P(w_k | v_j) \leftarrow (n_k + 1) / (n + | Vocabulary |)$  /\* m-estimate \*/

CLASSIFY\_NAIVE\_BAYES\_TEXT( *Doc* )

/\* Return the estimated target value for the document *Doc*.  $a_i$  denotes the word found in  $i$ th position within *Doc*.

- *positions*  $\leftarrow$  all word positions in *Doc* that contain tokens found in *Vocabulary*
- Return  $v_{NB}$ , where

$$v_{NB} = \operatorname{argmax}_{v_j \in V} P(v_j) \prod_{i \in positions} P(a_i | v_j)$$

# Summary

Maximum likelihood hypothesis and MAP-hypothesis / learning

Optimal Bayes learner / classifier

Gibbs algorithm

Naive Bayes classifier

Learning Bayesian Belief Networks

- EM algorithm

(Example: The GeNIe network for interaction patterns)