

# EDAF30 – Programming in C++

## *1. Introduction*

Sven Gestegård Robertz  
*Computer Science, LTH*

2022



# Outline

- 1 About the course
- 2 Presentation of C++
  - History
  - Introduction
  - Statements and operators
  - Functions
- 3 Data types and variables

# EDAF30: Programmering i C++, 7.5 hp

## Syfte och mål

*Kursens syfte är att ge kunskaper i objektorienterad programmering i C++.*

Kunskap och förståelse:

- ▶ känna till och kunna beskriva skillnaderna mellan C++ och Java
- ▶ vara förtrogen med språket C++ och standardbiblioteket STL
- ▶ kunna förklara grundläggande begrepp inom objektorienterad C++-programmering
- ▶ förstå och kunna förklara de olika typerna av funktionsanrop
- ▶ kunna tolka, analysera och förklara befintlig C++-kod.

Färdighet och förmåga:

- ▶ kunna utveckla ett fungerande C++-program från en given specifikation
- ▶ kunna felsöka metodiskt i C++-kod.

# EDAF30: programming in C++ , 7.5 hp

## Important differences to Java

New or extended concepts in C++  
(compared to Java / introductory courses):

- ▶ Pointers and memory management
- ▶ Functions: call-by-value and call-by-reference
- ▶ Polymorphism: both static and dynamic  
(compare *templates* to *generics*)
- ▶ Operator overloading

And also

- ▶ The tool chain

# EDAF30: programming in C++ , 7.5 hp

## Examination details

The compulsory course items are

- ▶ laborations
- ▶ project
- ▶ written examination

The final grade is based on the result of the written examination.

# EDAF30: programming in C++ , 7.5 hp

## Administration

- ▶ Course plan
- ▶ Registration
- ▶ Sign up for labs
  - ▶ On the web - link from the course web page
  - ▶ Work in pairs
  - ▶ Sign up for a group – same time all weeks
- ▶ Resources
  - ▶ Course web page
    - ▶ News
    - ▶ Assignments
    - ▶ Lecture slides
  - ▶ Canvas
    - ▶ Lectures: short videos to watch as preparation for lectures
    - ▶ Labs: reflection question quizzes
  - ▶ Slack

# History

C++ is a descendent of Simula and C.

1967: Simula (Dahl & Nygaard)

1972: C (Dennis Ritchie)

1978: K&R C (Kernighan & Ritchie)

1980: C with Classes (Bjarne Stroustrup)

1985: C++ (Bjarne Stroustrup)


- ▶ ISO standard 1998

Other relatives:


1995: Java (James Gosling et al.)

2000: C# (Anders Hejlsberg)

- ▶ virtual machine
- ▶ automatic memory management
- ▶ *safe* languages



# C++ is not a pure extension of C



- ▶ both ISO C and ISO C++ are descendants of K&R C, and are “siblings”
- ▶ some details are incompatible between ISO C and C++
- ▶ Areas are not to scale

In general: Don't write C++ as if it were C



# What is C++?

The ISO standard for C++ defines two things

- ▶ *Core language features*, e.g.,
  - ▶ data types (e.g., `char`, `int`)
  - ▶ control flow mechanisms (e.g., `if` and `while` statements).
  - ▶ rules for declarations
  - ▶ templates
  - ▶ exceptions
- ▶ *Standard-library components*, e.g.,
  - ▶ Data structures (e.g., `string`, `vector`, and `map`)
  - ▶ Operations for in- and output (e.g., `<<` and `getline()`)
  - ▶ Algorithms (e.g., `find()` and `sort()`)

The standard library is written in C++

- ▶ Example of what is possible

# A minimal program in C++

## empty.cc

```
int main( ) { }
```

- ▶ has no parameters
- ▶ does nothing
- ▶ the return value of `main()` is interpreted by the system as an error code
  - ▶ non-zero means error
  - ▶ no explicit return value is interpreted as zero (NB! only in `main()`)
  - ▶ rarely used in Windows
  - ▶ often used on Linux/Mac

# The first C++ program

## Hello, World!

hello.cc

```
#include <iostream>
int main( )
{
    std::cout << "Hello, World!" << std::endl;
    return 0;
}
```

hello.cc

```
#include <iostream>
using std::cout;
using std::endl;

int main( )
{
    cout << "Hello, World!" << endl;
    return 0;
}
```

Mostly the same syntax as in Java:

- ▶ **if, switch**
- ▶ **for, while, do while**
- ▶ **break, continue**

but *goto is spelled differently:*

- ▶ No **break** to a label
- ▶ **goto** (used in C, rarely used in C++)

# Operators

Operators and expressions quite similar to Java

The same as in Java

E.g., + - \* / % ++ -- += -= \*= && || & | etc., and [] . ?:

The trinary operator ?: (like in Java)

```
z = (x>y) ? x : y;
```

```
if (x>y)
    z=x;
else
    z=y;
```

Many more, including

Pointer operators: \* & ->

Input and output: << >> (*overloaded shift operators*)

sizeof, decltype (*compile-time*)

# Functions

## Declaration and definition

The main way of getting something done in C++:

- ▶ call a *function*
  - ▶ Declare before use
    - A function must have been *declared* before it can be called
  - ▶ A function declaration specifies
    - ▶ name
    - ▶ return type
    - ▶ types of the parameters

- ▶ Example: function declarations

```
int random();           ▶ The compiler ignores parameter names
void exit(int);        ▶ Give names if it increases readability
double square(double);
int pow(int x, int exponent);
```

- ▶ A function *definition* contains the implementation
  - ▶ Must not occur more than once (*One Definition Rule*)

# Difference from Java

## Function and variable declarations

- ▶ In Java functions and variables can only be declared inside a class.
- ▶ In C++, functions and variables can exist independently of classes.
  - ▶ free functions do not belong to a class
  - ▶ member functions in a class
  - ▶ global variables
  - ▶ member variables

# Function declaration

## Example

### ► Declaration and definition

#### Example: Mean value – variant 1

```
double mean(double x1, double x2) // Declaration and definition
{
    return (x1+x2)/2;
}

int main()
{
    double a=2.3;
    double b=3.9;
    cout << mean(a, b) << endl;
}
```



# Function definition

## With previous declaration

- ▶ *Forward declaration*
- ▶ Function definition after main()

### Example: mean – variant 2

```
double mean(double, double);           // declaration (prototype)

int main()
{
    double a=2.3;
    double b=3.9;
    cout << mean(a, b) << endl;       // use
}

double mean(double x1, double x2)      //definition
{
    return (x1+x2)/2;
}
```

# Function declaration and definition in separate files

## Header file with declaration (mean.h)

```
double mean(double, double);           // declaration (prototype)
```

## Main source file

```
#include "mean.h"
int main()
{
    double a=2.3;
    double b=3.9;
    cout << mean(a, b) << endl;       // use
}
```


## Library source file (mean.cc)

```
double mean(double x1, double x2)     //definition
{
    return (x1+x2)/2;
}
```

# What is a program?

C++ is a compiled language

- ▶ Source code
- ▶ Object file(s)
- ▶ Executable file



# Data types and variables

- ▶ Every name and every expression has a type
- ▶ some concepts:
  - ▶ a *declaration* introduces a *name* (and gives it a *type*)
  - ▶ a *type* defines the set of possible values and operations (for an *object*)
  - ▶ an *object* is a place in memory that holds a *value*
  - ▶ a *value* is a sequence of bits interpreted according to a *type*.
  - ▶ a *variable* is a named *object*

An object has

- ▶ a *value* and
- ▶ a *representation*

## Unnamed objects

*Unnamed objects* include

- ▶ temporary values
- ▶ objects on the heap (allocated with **new**)

# Data types

## Primitive types

- ▶ Integral types: `char`, `short`, `int`, `long`, `long long`
  - ▶ `signed` (as in Java)
  - ▶ `unsigned` (*modulo*  $2^N$  “non-negative” numbers, not in Java)
- ▶ Floating point types: `float`, `double`, `long double`
- ▶ `bool` (`boolean` in Java)
  - ▶ integer values are implicitly converted to `bool`
  - ▶ zero is **false**, non-zero is **true**
- ▶ The type `char` is “the natural size to hold a character” on a given machine (often 8 bits). Its size (in C/C++) is called “a byte” regardless of the number of bits.
- ▶ `sizeof(char) ≡ 1` (1 byte)
- ▶ The sizes of all other data types are multiples of `sizeof(char)`.
  - ▶ sizes are *implementation defined*
  - ▶ `sizeof(int)` is commonly 4.

# Variables

## Declaration and initialization

### Declaration without initialization (avoid)

```
int x;           // x has an undefined value (if local)
                  // (as local variables in Java)
```

### Declaration and initialization

```
int x{7};       // C++ style (recommended if unsure)
int y = {7};    // C++ with extra =
int z = 7;      // C style

vector<int> v{1,2,3,4,5};
```

### C style: Beware of implicit type conversion

```
int x = 7.8;    // x == 7. No warning
int y {7.8};    // Gives a warning (or error with -pedantic-errors)
```

# The usual arithmetic conversions

*The compiler tries really hard to compile your program.*

Example

*Do not mix signed and unsigned values!*

# Suggested reading

References to sections in Lippman

Functions 6.1 (p 201–207)

Types, variables 2.1,2.2,2.5.2 (p 31–37, 41–47, 69)

Type aliases 2.5.1

Arithmetic 4.1-4.5, 4.11

Constants 2.4 2.4.4 (p 59–60, 65–66)

Pointers and references 2.3 (p 50–59)



## Next lecture

Function calls. Pointers. User-defined types

References to sections in Lippman

Literals 2.1.3

Pointers and references 2.3

std::string 3.2

std::vector 3.3

Arrays and pointers 3.5

Classes 2.6, 7.1.4, 7.1.5, 13.1.3

Scope and lifetimes 2.2.4, 6.1.1

I/O 1.2, 8.1–8.2, 17.5.2