

EDAF50 – C++ Programming

6. *Generic programming. Algorithms.*

Sven Gestegård Robertz
Computer Science, LTH

2020



Outline

- 1 Generic programming
- 2 Standard library algorithms
 - Algorithms
 - Insert iterators
- 3 Iterators
 - Different kinds of iterators
 - stream iterators
- 4 Algorithms and function objects

Generic programming

Templates (mallar)

- ▶ Uses *type parameters* to write more generic classes and functions
- ▶ No need to manually write a new class/function for each data type to be handled
- ▶ static polymorphism
- ▶ A template is *instantiated* by the compiler for the type(s) it is used for
 - ▶ each instance is a separate class/function
 - ▶ *different from java*: a `java.util.ArrayList<T>` holds `java.lang.Object references`
 - ▶ at compile-time: no runtime overhead
 - ▶ increases code size

Templates

Template compilation

- ▶ The compiler *instantiates* the template at the call site
- ▶ The entire *definition* of the template is needed
 - ▶ place template definitions in header files
- ▶ *Duck typing:*
if it walks like a duck, and quacks like a duck, it is a duck.
 - ▶ cf. dynamically typed languages like python
- ▶ Requirements on the *use* of an object rather than its *type*
- ▶ instead of “**class** T must have a member function **operator++**”
- ▶ “for any object t, the expression ++t is well-formed.”
- ▶ Independent of class hierarchies

Generic programming

Our class for a vector of doubles

```
class Vector{
public:
    explicit Vector(int s);
    ~Vector() {delete[] elem;}
    double& operator[](int i) {return elem[i];}
    int size() const {return sz;}
private:
    int sz;
    double* elem;
};
```

can be generalized to hold any type:

```
template <typename T>
class Vector{
public:
    ...
    T& operator[](int i) {return elem[i];}
private:
    int sz;
    T* elem;
};
```

Generic programming

example: find an element in a Vector

```
template <typename T>
T& find(Vector<T>& v, const T& val)
{
    if(v.size() == 0) throw std::invalid_argument("empty vector");
    for(int i=0; i < v.size(); ++i){
        if(v[i] == val) return v[i];
    }
    throw std::runtime_error("not found");
}
```

- ▶ specific to Vector
- ▶ returning a reference is problematic: cannot return null
 - ▶ special handling of empty vector
 - ▶ special handling of element not found

Generic programming

Iterators

The standard library uses an abstraction for an element of a collection – *iterator*

- ▶ “points to” an element
- ▶ can be dereferenced
- ▶ can be incremented (moved to the next element)
- ▶ can be compared to another iterator

and two functions

`begin()` get an iterator to the first element of a collection
`end()` get an one-past-end iterator

Generic programming

example: find an element in an int array

```
int* find(int* first, int* last, int val)
{
    while(first != last && *first != val) ++first;
    return first;
}
```

Generalize to any array (pointer to `int` type parameter `T`).

```
template <typename T>
T* find(T* first, T* last, const T& val)
{
    while(first != last && *first != val) ++first;
    return first;
}
```

Generic programming

example: Iterators for Vector

```
template <typename T>
class Vector{
public:
    ...
    T* begin() {return elem;}
    T* end() {return elem+sz;}
private:
    int sz;
    T* elem;
};
```

find using pair of pointers

```
template <typename T>
T* find(T* first, T* last, const T& val)
{
    while(first != last && *first != val) ++first;
    return first;
}
```

Generic programming

example: find an element in a collection

find using pair of pointers

```
template <typename T>
T* find(T* first, T* last, const T& val)
{
    while(first != last && *first != val) ++first;
    return first;
}
```

Pointers are iterators for built-in arrays.

Find for any iterator range

```
template <typename Iter, typename T>
Iter find(Iter first, Iter last, const T& val)
{
    while(first != last && *first != val) ++first;
    return first;
}
```

Generic programming

A generic Vector class

Example implementation of begin() and end():

```
template <typename T>
class Vector{
public:
    ...
    int* begin() {return sz > 0 ? elem : nullptr;}
    int* end() {return begin() + sz;}
    const int* begin() const {return sz > 0 ? elem : nullptr;}
    const int* end() const {return begin() + sz;}
private:
    int sz;
    T* elem;
};
```

The standard function `std::begin()` has an overload for classes with `begin()` and `end()` member functions.

Generic programming

Generic user code

```
using std::begin;
using std::end;
void example1()
{
    int a[] {1,2,3,4,5,6,7};

    auto f5= find(begin(a), end(a), 5);
    if(f5 != end(a)) *f5 = 10;
}

void example2()
{
    Vector<int> a{1,2,3,4,5,6,7};

    auto f5= find(begin(a), end(a), 5);
    if(f5 != end(a)) *f5 = 10;
}
```

Algorithms

Standard library algorithms

```
#include <algorithm>
```

Numeric algorithms:

```
#include <numeric>
```

Random number generation

```
#include <random>
```

Appendix A.2 in Lippman gives an overview

Standard algorithms

Main categories of algorithms

- ① Search, count
- ② Compare, iterate
- ③ Generate new data
- ④ Copying and moving elements
- ⑤ Changing and reordering elements
- ⑥ Sorting
- ⑦ Operations on sorted sequences
- ⑧ Operations on sets
- ⑨ Numeric algorithms

Algorithm limitations

- ▶ Algorithms may *modify container elements*. E.g.,
 - ▶ `std::sort`
 - ▶ `std::replace`
 - ▶ `std::copy`
 - ▶ `std::remove` (sic!)
- ▶ No algorithm *inserts or removes container elements*.
 - ▶ That requires operating on the actual container object
 - ▶ or using an *insert iterator* that knows about the container
(cf. `std::back_inserter`)

Algorithms

Exempel: find

```
template <class InputIterator, class T>
InputIterator find (InputIterator first, InputIterator last,
                    const T& val);
```

Exempel:

```
vector<std::string> s{"Kalle", "Pelle", "Lisa", "Kim"};
auto it = std::find(s.begin(), s.end(), "Pelle");
if(it != s.end())
    cout << "Found " << *it << endl;
else
    cout << "Not found" << endl;
```

Found Pelle

Algorithms

Example: find_if

```
template <class InputIterator, class UnaryPredicate>
InputIterator find_if (InputIterator first, InputIterator last,
                      UnaryPredicate pred);
```

Exempel:

```
bool is_odd(int i) { return i % 2; }

void test_find_if()
{
    vector<int> v{2,4,6,5,3};

    auto it = std::find_if(v.begin(), v.end(), is_odd);

    if(it != v.end())
        cout << "Found " << *it << endl;
    else
        cout << "Not found" << endl;
}
```

Found 5

Function pointer

Algorithms

count och count_if

Count elements, in a data structure, that satisfy some predicate

- ▶ `std::count(first, last, value)`
 - ▶ elements equal to value
- ▶ `std::count_if(first, last, predicate)`
 - ▶ elements for which predicate is true

Algorithms

Example: copy and copy_if

```
template <class InputIterator, class OutputIterator>
OutputIterator copy (InputIterator first, InputIterator last,
                     OutputIterator result);
```

Example:

```
vector<int> a(8,1);
print_seq(a);           length = 8: [1][1][1][1][1][1][1][1]
vector<int> b{5,4,3,2};
std::copy(b.begin(), b.end(), a.begin() + 2);
print_seq(a);           length = 8: [1][1][5][4][3][2][1][1]
```

- ▶ *copy_if with predicate, as previous slide*
- ▶ Note that the algorithms *cannot allocate memory*

Algorithms

remove / remove_if

Remove elements equal to a value or matching a predicate.

- ▶ std::remove et al. do not actually remove anything. They
 - ▶ move the “retained” elements to the front
 - ▶ return an iterator to the first “removed” element
- ▶ To actually remove from a container, use the erase member function, e.g std::vector::erase()

The erase-remove idiom

```
auto new_end = std::remove_if(c.begin(), c.end(), pred);  
c.erase(new_end, c.end());
```

or

```
c.erase(std::remove_if(c.begin(), c.end(), pred), c.end());
```

Algorithms

Insert iterators (in <iterator>)

Example:

```
vector<int> v{1, 2, 3, 4};

vector<int> e;
std::copy(v.begin(), v.end(), std::back_inserter(e));
print_seq(e);           length = 4: [1][2][3][4]

deque<int> e2;
std::copy(v.begin(), v.end(), std::front_inserter(e2));
print_seq(e2);           length = 4: [4][3][2][1]

std::copy(v.begin(), v.end(), std:: inserter(e2, e2.end()));
print_seq(e2);           length = 8: [4][3][2][1][1][2][3][4]
```

Requirements on iterators

The standard library algorithms put requirements on iterators.
For instance, `std::find` requires its arguments to be

`CopyConstructible` (and `Destructible`) as it is passed by value
`EqualityComparable` to have `operator!=`
`Dereferencable` to have `operator*` (for reading)
`Incrementable` to have `operator++`

The requirements are often specified using iterator concepts.

Iterator concepts

- ▶ Input Iterator ($\text{++} == !=$) (dereference as *rvalue*: $*a$, $a->$)
- ▶ Output Iterator (++) (dereference as *lvalue*: $*a=t$)
- ▶ Forward Iterator (Input- and Output Iterator, reusable)
- ▶ Bidirectional Iterator (as Forward Iterator with $--$)
- ▶ Random-access Iterator ($+ =$, $- =$, $a[n]$, $<$, $<=$, $>$, $>=$)

Different iterators for a container type (con is one of the containers vektor, deque, or list with the element type T)

<i>con<T>::iterator</i>	runs forward
<i>con<T>::const_iterator</i>	runs forward, only for reading
<i>con<T>::reverse_iterator</i>	runs backwards
<i>con<T>::const_reverse_iterator</i>	runs backwards, only for reading

Iterator validity

In general, if the structure an iterator is referring to is changed
the iterator is invalidated. Example:

- ▶ insertion
 - ▶ sequences
 - ▶ vector, deque* : all iterators are invalidated
 - ▶ list : iterators are unaffected
 - ▶ associative containers (set, map)
 - ▶ iterators are unaffected
- ▶ removal
 - ▶ sequences
 - ▶ vector : iterators *after* the removed elements are invalidated
 - ▶ deque : all iterators invalidated (*in principle**)
 - ▶ list : iterators to the removed elements are invalidated
 - ▶ associative containers (set, map)
 - ▶ iterators are unaffected
- ▶ resize: as insertion/removal

`istream_iterator<T>`

`istream_iterator<T> : constructors`

```
istream_iterator(); // gives an end-of-stream istream iterator  
istream_iterator (istream_type& s);
```

```
#include <iterator>  
  
stringstream ss{"1 2 12 123 1234\n17\n\t42"};  
  
istream_iterator<int> iit(ss);  
istream_iterator<int> iit_end;  
  
while(iit != iit_end) {  
    cout << *iit++ << endl;  
}  
1  
2  
12  
123  
1234  
17  
42
```

```
istream_iterator<T>
```

Example: use to initialize a vector<int>:

```
stringstream ss{"1 2 12 123 1234\n17\n\r42"};  
  
istream_iterator<double> iit(ss);  
istream_iterator<double> iit_end;  
  
vector<int> v(iit, iit_end);  
  
for(auto a : v) {  
    cout << a << " ";  
}  
cout << endl;  
  
1 2 12 123 1234 17 42
```

```
istream_iterator<T>
```

Example: counting words in a string s:

Straight-forward counting

```
istringstream ss{s};  
int words{0};  
string tmp;  
while(ss >> tmp) ++words;
```

Using the standard library

```
istringstream ss{s};  
int words = distance(istream_iterator<string>{ss},  
                     istream_iterator<string>{});
```

std::distance gives the distance (in number of elements) between two iterators. (UB if the second argument cannot be reached by incrementing the first.)

ostream_iterator and the algorithm copy

ostream_iterator

```
ostream_iterator (ostream_type& s);  
ostream_iterator (ostream_type& s, const char_type* delimiter);
```

```
vector<int> v{1,2, 12, 1234, 17, 42};  
  
cout << fixed << setprecision(2);  
  
ostream_iterator<double> oit{cout, " <-> "};  
  
std::copy(begin(v), end(v), oit);  
  
1.00 <-> 2.00 <-> 12.00 <-> 1234.00 <-> 17.00 <-> 42.00 <->
```

transform and function objects

Iterate over a sequence, apply a function to each element and write the result to a sequence (*cf. “map” in functional programming languages*)

```
template < class InputIt, class OutputIt, class UnaryOperation >
OutputIt transform( InputIt first, InputIt last, OutputIt d_first,
                    UnaryOperation unary_op );

template < class InputIt1, class InputIt2, class OutputIt,
            class BinaryOperation >
OutputIt transform( InputIt1 first1, InputIt1 last1, InputIt2 first2,
                    OutputIt d_first, BinaryOperation binary_op );
```

A function object is an object that can be called as a function.,

- ▶ function pointers
- ▶ function objects (“*functor*”)

The algorithm transform can handle both function pointers and functors.

Function objects and transform

Example with function pointer

```
int square(int x) {
    return x*x;
}

void example()
{
    vector<int> v{1, 2, 3, 5, 8};
    vector<int> w; // w is empty!

    transform(v.begin(), v.end(), back_inserter(w), square);
}

// w = {1, 4, 9, 25, 64}
```

Function objects

A function object is an object that has `operator()`

Previous example with a function object

```
struct {
    int operator() (int x) const {
        return x*x;
    }
} sq;

vector<int> v{1, 2, 3, 5, 8};
vector<int> ww; // ww empty!

transform(v.begin(), v.end(), back_inserter(ww)), sq);

// ww = {1, 4, 9, 25, 64}
```

Anonymous struct – the type has no name, only *the object*.

Function objects

The value of a lambda expression is a function object

Previous function object

```
struct {
    int operator() (int x) const {
        return x*x;
    }
} sq;
transform(v.begin(), v.end(), back_inserter(ww)), sq);
```

Previous example with a lambda

```
auto sq = [](int x){return x*x;};
transform(v.begin(), v.end(), back_inserter(ww)), sq);
```

Random numbers

<cstdlib>

Example: dice with the C standard lib

```
#include <iostream>
#include <cstdlib>
#include <ctime>

using std::cout;
using std::endl;

int main( )
{
    unsigned int seed = time(0);
    srand(seed);
    int n{20};
    for (int i=0; i<n; i++) {
        cout << rand()%6+1 << " ";
    }
    cout << endl;
}
```

Random numbers

Better C++: encapsulate in an object – “function with state”

Assume that we have a class `Rand_int` giving random numbers in the interval $[min, max]$.

with `RandInt` object

```
int main()
{
    unsigned long seed = time(0);
    Rand_int dice{1,6, seed};
    int n{20};
    for(int i = 0; i != n; ++i) {
        cout << dice() << " ";
    }
    cout << endl;
}
```

The C version

```
int main( )
{
    unsigned int seed = time(0);
    srand(seed);
    int n{20};
    for (int i=0; i<n; i++) {
        cout << rand()%6+1 << " ";
    }
    cout << endl;
}
```

Random numbers

Example of a random integer class

Example: Rand_int

```
#include <random>

class Rand_int {
public:
    Rand_int(int low, int high) :dist{low,high} {}
    Rand_int(int low, int high, unsigned long seed)
        :re{seed}, dist{low,high} {}
    int operator()() {return dist(re);}
private:
    std::default_random_engine re;
    std::uniform_int_distribution<> dist;
};
```

Suggested reading

References to sections in Lippman

Function templates 16.1.1

Algorithms 10 – 10.3.1, 10.5

Iterators 10.4

Function objects 14.8

Random numbers 17.4.1

Function templates

References to sections in Lippman

Customizing algorithms 10.3.1

Lambda expressions 10.3.2 – 10.3.4

Binding arguments 10.3.4

Function objects 14.8

Class templates 16.1.2

Template arguments and deduction 16.2–16.2.2

Trailing return type 16.2.3

Templates and overloading 16.3