



LUNDS UNIVERSITET

Lunds Tekniska Högskola

Institutionen för datavetenskap

Krzysztof Kuchcinski

Tentamen i kursen
EDAN01: Constraint-Programmering
(Constraint programming)

2019-01-09, kl. 8-13

Sal:

E:2116

Hjälpmedel:

Inga

Resultat anslås:

Senast 2019-01-23

Poänggränser:

Max 40 p., för 4 krävs ca 25 p, för 5 ca 30 p.

Jourhavande lärare:

Krzysztof Kuchcinski, tel. 22 23414

The answers to the questions can be written in Swedish or English.

Lycka till!

1 (3 p.)

Consistency methods for finite domain constraints are implemented using a special technique that is usually called *propagation rules* or *propagators*. Enumerate and discuss briefly basic properties that the propagation rules must fulfill.

2 (3 p.)

Discuss briefly variable selection strategies for depth-first-search used in finite domain solvers. In your discussion include the following three methods used in JaCoP:

- a) SmallestMin
- b) SmallestDomain
- c) MostConstrainedDynamic

For each method define the selections strategy and the motivation for using the method.

Discuss why JaCoP has possibility to specify secondary variable selection strategy.

3 (3 p.)

Use *bounds consistency* and *domain consistency* to prune the domains of FDVs involved in the constraint $y = 3 * x$, $x :: \{0..15\}$, $y :: \{0..5, 10..19\}$.

4 (4 p.)

In constraint programming over finite domain, depth-first-search algorithm is used to enumerate different solutions for a given problem. Discuss different strategies to control the search by selecting variable ordering and domain assignment.

What is the difference between the following two selection choices for finite domain variables.

- a) choice between $X = val$ and $X \neq val$
- b) multiple choice for X corresponding to the values in its domain (i.e., $X = val_1, X = val_2, \dots, X = val_n$)

Illustrate this on an example of list [X, Y] with $X :: \{1..3\}$, $Y :: \{0..2\}$ and *anti-first-fail* selection principle (a first variable with the largest domain size is selected). Give all values which are assigned to X and Y in the order specified by assigning values in ascending order (from min to max).

5 (3 p.)

Using reification constraints of finite domain solvers ($C \Leftrightarrow B$) write a program (using a pseudo-code) for user-defined constraint `AtLeast(List, El, N)` that constraints at least N of the elements of *List* to be equal to value *El*. Both N and *El* are finite domain variables and *List* is a list of finite domain variables.

6 (3 p.)

Explain why finite domain solvers use global constraints. As an example use `AllDifferent` constraints and illustrate the propagation “strength” with different implementations of the consistency methods, such as a method that is equivalent to imposing inequality constraints, bounds consistency and hyper-arc consistency.

7 (4 p.)

Assume that you have six tasks which can be executed on four different processors (P_1, \dots, P_4) with different cost (defined in Table 1). Write a code fragment defining finite domain variable `Cost` that defines the cost of a selected architecture (processors which are used to run the tasks). Assume that each task can be run on each processor and that the cost of having a processor does not depend on number of tasks which are assigned to it.

	P_1	P_2	P_3	P_4
Cost	1	3	8	5

Table 1: Cost of the processors.

8 (6 p.)

There are four students: Algy, Bertie, Charlie and Digby, who share a flat. Four newspapers are delivered to the house: the Financial Times, the Guardian, the Daily Express and the Sun. Each of the students reads all of the newspapers, in particular order and for a specified amount of time (see below).

Given that Algy gets up at 8:30, Bertie and Charlie at 8:45 and Digby at 9:30, what is the earliest that they can all set off for college?

	Algy		Bertie		Charlie		Digby	
1st	FT	60 min	Guardian	75 min	Express	5 min	Sun	90 min
2nd	Guardian	30 min	Express	3 min	Guardian	15 min	FT	1 min
3rd	Express	2 min	FT	25 min	FT	10 min	Guardian	1 min
4st	Sun	5 min	Sun	10 min	Sun	30 min	Express	1 min

Write a pseudo-code or minizinc program that models and solves this problem.

9 (5 p.)

There are three warehouses with capacity of identical products 500, 300 and 400 respectively. Four clients have certain demands on these products. Client A demands 200, B demands 400, C demands 300, and D demands 100 products. Transport costs between warehouses and clients is defined by the following matrix.

Organize the supply such that the transport costs are minimal.

Warehouse	Client A	Client B	Client C	Client D
1	10	8	5	9
2	7	5	5	3
3	11	10	8	7

10 (6 p.)

The traveling salesperson needs to visit four cities, A, B, C, and D, to sell products. There is different distance between cities and the salesperson wants to optimize the route. The distance between cities is given in the table. Note, that it is non-symmetrical traveling salesperson problem, i.e. distances are different in different directions.

	A	B	C	D
A	-	3	6	41
B	4	-	40	5
C	8	42	-	4
D	37	6	2	-

- Write a program using FD solver which finds the minimal distance route which contains all cities.
- Assume that the salesperson distributes parcels in the cities as presented in the table below. Positive integer means that the specified number of parcels is loaded into the car and negative integer means that this number of parcels is unloaded. Find a shortest route that fulfills car maximum capacity of 5 parcels, i.e., a route that one cannot unload from an empty car and load number of parcels that exceeds car capacity.

	Cities			
	A	B	C	D
Distribution	2	-3	4	-1

Write a pseudo-code or minizinc program that models and solves this problem.