

EDAF50 – C++ Programming

*12. Recap. About the project.*

Sven Gestegård Robertz  
*Computer Science, LTH*

2022



# Outline

- 1 The project
- 2 Classes and inheritance
  - Scope
  - const for objects and members
- 3 Rules of thumb
- 4 Advice

- ▶ 2–4 people per group. Use the Canvas discussion to find project partners.
- ▶ Develop a news server (two versions) and a text-based client.
- ▶ Write a report, hand in the report and your programs no later than Wednesday, May 4

# A News Server and News Clients

The server keeps a database of newsgroups, containing articles. The clients connect to the server. Sample conversation:

```
news> list
1. comp.lang.java
2. comp.lang.c++
news> list comp.lang.c++
1. What is C++? From: xxx
2. Why C++?      From: yyy
news> read 2
Why C++?      From: xxx
... text ...
news>
```

A client can also create and delete newsgroups, and create and delete articles in newsgroups.

# The Project: Write Server and Client


- ▶ You are to develop two versions of the server:
  - ▶ one in-memory server that forgets the data about newsgroups and articles between invocations (use the standard library containers for this database), and
  - ▶ one disk-based server that remembers the data between invocations (use files for this database)

These versions should implement a common interface — the rest of the system should be independent of, and agnostic to, the database implementation. *Avoid duplicated code.*

- ▶ A single-threaded server is ok.
- ▶ You are to develop a client with a text-based interface. It shall read commands from the keyboard and present the replies from the server as text.
- ▶ Think about how to handle entry of multi-line articles.

# System Overview

The classes Server and Connection are pre-written.



# Communication Protocol

A message is a sequence of bytes. Messages must follow a specified protocol, which specifies the message format. The general form is:

```
MSG_TYPE_BYTE <data> END_BYTE
```

The protocol contains commands and answers:

```
COMMAND_TYPE <data> COM_END  
ANSWER_TYPE <data> ANS_END
```

# Communication Protocol

## Example: List Newsgroups

*List newsgroups* (message to server and reply from server):

```
COM_LIST_NG COM_END  
ANS_LIST_NG 2 13 comp.lang.java 15 comp.lang.c++ ANS_END
```

2 is the number of newsgroups, 13 and 15 are the unique identification numbers of the newsgroups `comp.lang.java` and `comp.lang.c++`.

Numbers and strings are coded according to the protocol:

```
string_p: PAR_STRING N char1 char2 ... charN // N is an int, sent as  
num_p:   PAR_NUM N // 4 bytes, big endian
```

### Hint:

Factor out the functionality for communication on the “low protocol level” (encoding and decoding of numbers and strings).

*Don't repeat yourselves.*



# Class Connection

```
struct ConnectionClosedException {};

/* A Connection object represents a socket */
class Connection {
    friend class Server;
public:
    Connection(const char* host, int port);

    Connection();

    virtual ~Connection();

    bool isConnected() const;

    void write(unsigned char ch) const;

    unsigned char read() const;
protected:
    void initConnection(int socket);

    //...
};
```

# Class Server

```
/* A server listens to a port and handles multiple connections */  
class Server {  
public:  
    explicit Server(int port);  
  
    virtual ~Server();  
  
    bool isReady() const;  
  
    std::shared_ptr<Connection> waitForActivity() const;  
  
    void registerConnection(const shared_ptr<Connection>& conn);  
  
    void deregisterConnection(const shared_ptr<Connection>& conn);  
};
```

# Server Usage

```
while (true) {
    auto conn = server.waitForActivity();
    if (conn != nullptr) {
        try {
            /*
             * Communicate with a client, conn->read()
             * and conn->write(c)
             */
        } catch (ConnectionClosedException&) {
            server.deregisterConnection(conn);
            cout << "Client closed connection" << endl;
        }
    } else {
        conn = make_shared<Connection>();
        server.registerConnection(conn);
        cout << "New client connects" << endl;
    }
}
```

On the course web page, you will find

- ▶ Classes for creating connections, including an example application.
- ▶ Test clients written in Java
  - ▶ An interactive, graphical client
  - ▶ An automated test client that runs a series of operations. Please note that this is an aid during development and not a complete acceptance test.

# Report and submission

- ▶ Write the report, preferably in English, follow the instructions.
- ▶ Create a directory with your programs (only the source code – don't include any generated files) and a Makefile.
- ▶ Write a README file (text) with instructions on how to build and test your system.
- ▶ Submission:
  - ① The report in PDF format.
  - ② The README file.
  - ③ The program directory, tar-ed and gzip-ped . Don't bury the report inside the gzip file.
  - ④ Submission instructions will be published on the course web, under Project.

# Inheritance and *scope*

- ▶ The *scope* of a derived class is *nested* inside the base class
  - ▶ Names in the base class are visible in derived classes
  - ▶ *if not hidden* by the same name in the derived class
- ▶ Use the *scope operator* `::` to access hidden names
- ▶ Name lookup happens at compile-time
  - ▶ *static type* of a pointer or reference determines which names are visible (like in Java)
  - ▶ Virtual functions must have the same parameter types in derived classes.

# Function overloading and inheritance

## No function overloading between levels in a class hierarchy

```
struct Base{
    virtual void f(int x) {cout << "Base::f(int): " << x << endl;}
};
struct Derived :Base{
    void f(double d) {cout << "Derived::f(double): " << d << endl;}
};

void example() {
    Base    b;
    b.f(2);      Base::f(int): 2
    b.f(2.5);   Base::f(int): 2 (as expected)
    Derived d;
    d.f(2);     Derived::f(double): 2
    d.f(2.5);   Derived::f(double): 2.5

    Base& dr = d;
    dr.f(2.5);  Base::f(int): 2
    dr.f(2);    Base::f(int): 2
}
```

# Function overloading and inheritance

## Make functions visible using using

```
struct Base{
    virtual void f(int x) {cout << "Base::f(int): " << x << endl;}
};
struct Derived :Base{
    using Base::f;
    void f(double d) {cout << "Derived::f(double): " << d << endl;}
};

void example() {
    Base b;
    b.f(2);      Base::f(int): 2
    b.f(2.5);   Base::f(int): 2

    Derived d;
    d.f(2);     Base::f(int): 2
    d.f(2.5);   Derived::f(double): 2.5
}
```



# Constructors

## Member initialization rules

```
class Vector {
public:
    Vector() =default;
    explicit Vector(int s) :size{s},elem{new T[size]} {}
    T* begin() {return elem.get();}
    T* end() {return begin()+size;}
    // functionality for growing...
private:
    std::unique_ptr<T[]> elem{nullptr};
    int size{0};
};
```

*Error! size is uninitialized when used to create the array.*

- ▶ If a member has both *default initializer* and a member initializer in the constructor, the constructor is used.
- ▶ `Vector() =default;` is necessary to make the compiler generate a default constructor.
- ▶ Members are initialized *in declaration order*. (Compiler warning if member initializers are in different order.)

# Constructors

## Special cases: zero or one argument

```
class KomplexTal {  
public:  
    KomplexTal():re{0},im{0} {}  
    KomplexTal(const KomplexTal& k) :re{k.re},im{k.im} {}  
    KomplexTal(double x):re{x},im{0} {}  
    //...  
private:  
    double re;  
    double im;  
};
```

default constructor

copy constructor

converting constructor

# Constructors

## Implicit conversion

```
struct Foo{
    Foo(int i) :x{i} {cout << "Foo(" << i << ")\n";}
    Foo(const Foo& f) :x(f.x) {cout << "Copying Foo(" << f.x << ")\n";}
    Foo& operator=(const Foo& f) {cout << "Foo = Foo(" << f.x << ")\n";
        x=f.x;
        return *this;
    }
    int x;
};
```

```
void example()
{
```

```
    int i=10;
```

```
    Foo f = i;    Foo(10) (an optimized away copy(move) construction)
```

```
    f = 20;      Foo(20)
                 Foo = Foo(20) (would move if operator=(Foo&&) defined)
```

```
    Foo g = f;   Copying Foo(20)
```

# Constructors

## Default constructor

### Default constructor

- ▶ A constructor that can be called without arguments
  - ▶ May have parameters with default values
- ▶ Automatically defined if *no constructor is defined*  
(in declaration: `=default`, cannot be called if `=delete`)
- ▶ If not defined, the type is *not default constructible*

# Constructors


## Copy constructor

- ▶ Is called when initializing an object
- ▶ Is *not called* on assignment
- ▶ Can be defined, otherwise a standard copy constructor is generated (=default, =delete)
- ▶ default copy constructor
  - ▶ Is automatically generated if not defined in the code
    - ▶ exception: if there are members that cannot be copied
  - ▶ *shallow copy* of each member

# Classes

## Default copy construction: shallow copy

```
void f(Vector v);  
  
void test()  
{  
    Vector vec(5);  
    f(vec); // call by value -> copy  
}
```



- ▶ The parameter `v` is default copy constructed: the value of each member variable is copied
- ▶ When `f()` returns, the destructor of `v` is executed: `(delete[] elem;)`
- ▶ The array pointed to *by both copies* is deleted. Disaster!

# “Rule of three”

## Canonical construction idiom

If a class implements any of these:

- ❶ Destructor
- ❷ Copy constructor
- ❸ Copy assignment operator

it (quite probably) should implement (or `=delete`) *all three*.

*If one of the automatically generated does not fit, the other ones probably won't either.*

# “Rule of three five”

Canonical construction idiom, from C++11

If a class implements any of these:

- ❶ Destructor
- ❷ Copy constructor
- ❸ Copy assignment operator
- ❹ *Move* constructor
- ❺ *Move* assignment operator

it (quite probably) should implement (or `=delete`) *all five*.

*and possibly an overloaded swap function.*



# Constant objects

- ▶ **const** means “I promise not to change this”
- ▶ Objects (variables) can be declared **const**
  - ▶ “I promise not to change the variable”
- ▶ References can be declared **const**
  - ▶ “I promise not to change the referenced object”
  - ▶ a **const&** can refer to a non-**const** object
  - ▶ common for function parameters
- ▶ Member functions can be declared **const**
  - ▶ “I promise that the function does not change the object”
  - ▶ A **const** member function *may not call non-const member functions*
  - ▶ Functions can be overloaded on **const**

# Operator overloading

Operator overloading syntax:

```
return_type operator⊗ (parameters...)
```

for an operator ⊗ e.g. == or +

For classes, two possibilities:

- ▶ as a member function
  - ▶ *if the order of operands is suitable*  
E.g., ostream& **operator**<<(ostream&, **const** T&)  
*cannot be a member of T*
- ▶ as a *free* function
  - ▶ if the public interface is enough, *or*
  - ▶ if the function is declared **friend**

# Conversion operators

## Exempel: Counter

### Conversion to int

```
struct Counter {
    Counter(int c=0) :cnt{c} {};
    Counter& inc()      {++cnt; return *this;}
    Counter inc() const {return Counter(cnt+1);}
    int get() const {return cnt;}
    operator int() const {return cnt;}
private:
    int cnt{0};
};
```

Note: **operator** T().

- ▶ no return type in declaration (must obviously be T)
- ▶ can be declared **explicit**

# Constructors

## Member initialization rules

```
class Bar {  
public:  
    Bar() =default;  
    Bar(int v, bool b) :value{v},flag{b} {}  
private:  
    int value {0};  
    bool flag {true};  
};
```

- ▶ If a member has both *default initializer* and a member initializer in the constructor, the constructor is used.
- ▶ Members are initialized *in declaration order*. (Compiler warning if member initializers are in different order.)
- ▶ `Bar() =default;` is necessary to make the compiler generate a default constructor (as another constructor is defined)

# Constructors

## Special cases: zero or one argument

```
class KomplextTal {  
public:  
    KomplextTal():re{0},im{0} {}  
    KomplextTal(const KomplextTal& k) :re{k.re},im{k.im} {}  
    KomplextTal(double x):re{x},im{0} {}  
    //...  
private:  
    double re;  
    double im;  
};
```

default constructor

copy constructor

converting constructor

# Constructors

## Implicit conversion

```
struct Foo{
    Foo(int i) :x{i} {cout << "Foo(" << i << ")\n";}
    Foo(const Foo& f) :x(f.x) {cout << "Copying Foo(" << f.x << ")\n";}
    Foo& operator=(const Foo& f) {cout << "Foo = Foo(" << f.x << ")\n";
        x=f.x;
        return *this;
    }
    int x;
};
```

```
void example()
{
```

```
    int i=10;
```

```
    Foo f = i;      Foo(10) (conversion + optimized away copy/move)
```

```
    f = 20;        Foo(20)
                  Foo = Foo(20) (would move if operator=(Foo&&) defined)
```

```
    Foo g = f;     Copying Foo(20)
```

# Conversion operators

## Exempel: Counter

### Conversion to int

```
struct Counter {
    Counter(int c=0) :cnt{c} {};
    Counter& inc()      {++cnt; return *this;}
    Counter inc() const {return Counter(cnt+1);}
    int get() const {return cnt;}
    operator int() const {return cnt;}
private:
    int cnt{0};
};
```

Note: **operator** T().

- ▶ no return type in declaration (must obviously be T)
- ▶ can be declared **explicit**

# rules of thumb, “defaults”

- ▶ Iteration, *range for*
- ▶ *return value optimization*
- ▶ call by value or reference?
- ▶ reference or pointer parameters? (without transfer of ownership)
- ▶ default constructor and initialization
- ▶ resource management: RAll and *rule of three (five)*
- ▶ be careful with type casts. Use *named casts*



## use *range for*

```
for(auto e : collection) {    or (const) reference
    // ...
}
```

Use *range for* for iteration over *an entire* collection:

- ▶ safer and more obvious code
- ▶ no risk of accidentally assigning
  - ▶ the iterator
  - ▶ the loop variable
- ▶ no pointer arithmetic

Works on any type T that has

- ▶ member functions `T::begin()` and `T::end()`, or
- ▶ free functions `begin(T)` and `end(T)`
- ▶ with proper **const** overloads

## *return value optimization (RVO)*

The compiler may optimize away copies of an object when returning a value from a function.

- ▶ *return by value* often efficient, also for larger objects
- ▶ RVO allowed *even if the copy constructor or the destructor has side effects*
- ▶ avoid such side effects to make code portable

# Rules of thumb for function parameters

## parameters and return values, “reasonable defaults”

- ▶ *return by value* if not *very expensive* to copy
- ▶ pass by reference if not *very cheap* to copy  
(*Don't force the compiler to make copies.*)
  - ▶ input parameters: **const** T&
  - ▶ in/out or output parameters: T&

# parameters: reference or pointer?

- ▶ required parameter: pass reference
- ▶ optional parameter: pass pointer (can be nullptr)

```
void f(widget& w)
{
    use(w); //required parameter
}
```

```
void g(widget* w)
{
    if(w) use(w); //optional parameter
}
```

# Default constructor and initialization

- ▶ (automatically generated) default constructor (**=default**) does not always initialize members
  - ▶ *global variables* are initialized to 0 (or corresponding)
  - ▶ *local variables* are not initialized

```
struct Foo { int x; };

int a;    // a is initialized to 0
Foo b;    // b.x is initialized to 0

int main() {
    int c;           // c is not initialized
    int d = int();  // d is initialized to 0

    Foo e;           // e.x is not initialized
    Foo f = Foo();  // f.x is initialized to 0
    Foo g{};        // g.x is initialized to 0
}
```

- ▶ *always initialize variables (with value or empty {})*
- ▶ *always implement default constructor (or =delete)*

# RAII: Resource acquisition is initialization

- ▶ Allocate resources for an object in the constructor
- ▶ Release resources in the destructor
- ▶ Simpler resource management, no naked **new** and **delete**
- ▶ Exception safety: destructors are run when an object goes out of scope
- ▶ *Resource-handle*
  - ▶ The object itself is small
  - ▶ Pointer to larger data on the heap
  - ▶ Example, our Vector class: pointer + size
  - ▶ Utilize move semantics
- ▶ `unique_ptr` is a *handle* to a specific object. Use *if you need an owning pointer*, e.g., for polymorph types.
- ▶ Prefer specific *resource handles* to smart pointers.

# Smart pointers: `unique_ptr`

## Example

```
struct Foo {
    int i;
    Foo(int ii=0) :i{ii} { std::cout << "Foo(" << i <<")\n"; }
    ~Foo() { std::cout << "~Foo("<<i<<")\n"; }
};
void test_move_unique_ptr()
{
    std::unique_ptr<Foo> p1(new Foo(1));
    {
        std::unique_ptr<Foo> p2(new Foo(2));
        std::unique_ptr<Foo> p3(new Foo(3));
        // p1 = p2; // error! cannot copy unique_ptr
        std::cout << "Assigning pointer\n";           Foo(1)
        p1 = std::move(p2);                          Foo(2)
        std::cout << "Leaving inner block...\n";     Foo(3)
    }                                                Assigning pointer
    std::cout << "Leaving program...\n";           ~Foo(1)
}                                                    Leaving inner block...
}                                                    ~Foo(3)
                                                    Leaving program...
                                                    ~Foo(2)
```

Foo(2) survives the inner block  
as `p1` takes over ownership.

## Resource management

- ▶ Resource management: RAII and *rule of three (five)*
- ▶ Avoid “naked” **new** and **delete**
- ▶ Use constructors to establish *invariants*
  - ▶ throw exception on failure

## for polymorph classes

- ▶ Copying often leads to disaster.
- ▶ **=delete**
  - ▶ Copy/Move-constructor
  - ▶ Copy/Move-assignment
- ▶ If copying is needed, implement a virtual `clone()` function



## classes

- ▶ only create member functions for things that require access to *the representation*
- ▶ as default, make constructors with one parameter **explicit**
- ▶ only make functions **virtual** if you want polymorphism

## polymorph classes

- ▶ access through reference or pointer
- ▶ A class with virtual functions must have a *virtual destructor*.
- ▶ use **override** for readability and to get help from the compiler in finding mistakes
- ▶ use **dynamic\_cast** to navigate a class hierarchy

## safer code

- ▶ initialize all variables
- ▶ use exceptions instead of returning error codes
- ▶ use *named casts* (if you must cast)
- ▶ only use **union** as an implementation technique inside a class
- ▶ avoid pointer arithmetics, except
  - ▶ for trivial array traversal (e.g., ++p)
  - ▶ for getting iterators into built-in arrays (e.g., a+4)
  - ▶ in very specialized code (e.g., memory management)

## use compiler warnings (consult your compiler manual)

```
-Wall -Wextra -Werror -pedantic -pedantic-errors  
-Wold-style-cast -Wnon-virtual-dtor -Wconversion -Wshadow  
-Wtype-limits -Wtautological-compare -Wduplicated-cond
```

*The compiler manual gives a comprehensive list of dangerous constructs.*

## The standard library

- ▶ use the standard library when possible
  - ▶ standard containers
  - ▶ standard algorithms
- ▶ prefer `std::string` to C-style strings (`char[]`)
- ▶ prefer containers (e.g., `std::vector<T>`) to built-in arrays (`T[]`)
- ▶ consider standard algorithms instead of hand-written loops

Often both

- ▶ safer and
- ▶ more efficient

than custom code

## The standard containers

- ▶ use `std::vector` by default
- ▶ use `std::forward_list` for sequences that are usually empty
- ▶ be careful with iterator invalidation
- ▶ use `at()` instead of `[]` to get bounds checking
- ▶ use *range for* for simple traversal
- ▶ initialization: use `()` for sizes/iterators and `{}` for list of values
- ▶ use `emplace_back` instead of `push_back` of a temporary
- ▶ use member functions (not algorithms) for `std::map` and `std::set`

Write code that is correct and easily understandable

Good luck on the exam

Questions?