

# EDAF50 – C++ Programming

## *1. Introduction*

Sven Gestegård Robertz  
*Computer Science, LTH*

2023



# Outline

- 1 About the course
- 2 Presentation of C++
  - History
  - Introduction
  - Functions

*The course gives detailed knowledge about C++. Special emphasis is placed on the language constructs that make C++ a more advanced, and also more complex, language than Java.*

## Knowledge and understanding

- ▶ know about and be able to describe the differences between C++ and Java
- ▶ have detailed knowledge about C++ and the standard library STL

## Competences and skills

- ▶ be able to choose the correct language construct to solve a given problem
- ▶ be able to use tools to develop C++ programs in a Unix environment

# EDAF50: C++ programming , 7.5 hp

## Important differences to Java

New or extended concepts in C++  
(compared to Java / introductory courses):

- ▶ Pointers and memory management
- ▶ Functions: call-by-value and call-by-reference
- ▶ Polymorphism: both static and dynamic  
(compare *templates* to *generics*)
- ▶ Operator overloading

# EDAF50: C++ programming , 7.5 hp

## Examination details

The compulsory course items are

- ▶ laborations
- ▶ project
- ▶ written examination

The final grade is based on the result of the written examination.

# History

C++ is a descendent of Simula and C.

1967: Simula (Dahl & Nygaard)

1972: C (Dennis Ritchie)

1978: K&R C (Kernighan & Ritchie)

1980: C with Classes (Bjarne Stroustrup)

1985: C++ (Bjarne Stroustrup)


- ▶ ISO standard 1998

Other relatives:


1995: Java (James Gosling et al.)

2000: C# (Anders Hejlsberg)

- ▶ virtual machine
- ▶ automatic memory management
- ▶ *safe* languages



# C++ is not a pure extension of C



- ▶ both ISO C and ISO C++ are descendants of K&R C, and are “siblings”
- ▶ some details are incompatible between ISO C and C++
- ▶ Areas are not to scale

In general: Don't write C++ as if it were C

# What is C++?

The ISO standard for C++ defines two things

- ▶ *Core language features*, e.g.,
  - ▶ data types (e.g., `char`, `int`)
  - ▶ control flow mechanisms (e.g., `if` and `while` statements).
  - ▶ rules for declarations
  - ▶ templates
  - ▶ exceptions
- ▶ *Standard-library components*, e.g.,
  - ▶ Data structures (e.g., `string`, `vector`, and `map`)
  - ▶ Operations for in- and output (e.g., `<<` and `getline()`)
  - ▶ Algorithms (e.g., `find()` and `sort()`)

The standard library is written in C++

- ▶ Example of what is possible



# A minimal program in C++

empty.cc

```
int main( ) { }
```

- ▶ has no parameters
- ▶ does nothing
- ▶ the return value of `main()` is interpreted by the system as an error code
  - ▶ non-zero means error
  - ▶ no explicit return value is interpreted as zero (NB! only in `main()`)
  - ▶ rarely used in Windows
  - ▶ often used on Linux/Mac

# The first C++ program

## Hello, World!

hello.cc

```
#include <iostream>
int main( )
{
    std::cout << "Hello, World!" << std::endl;
    return 0;
}
```

hello.cc


```
#include <iostream>
using std::cout;
using std::endl;

int main( )
{
    cout << "Hello, World!" << endl;
    return 0;
}
```

# What is a program?

C++ is a compiled language

- ▶ Source code
- ▶ Object file(s)
- ▶ Executable file



# A C++ program

Example: compute and print  $x^2$ .

```
#include <iostream>

double square(double x)
{
    return x*x;
}

void print_square(double d)
{
    std::cout << "the square of " << d <<
               " is " << square(d) << std::endl;
}

int main( )
{
    print_square(1.234);
    return 0;
}
```

# Functions

## Declaration and definition

The main way of getting something done in C++:

- ▶ call a *function*
  - ▶ Declare before use
    - A function must have been *declared* before it can be called
  - ▶ A function declaration specifies
    - ▶ name
    - ▶ return type
    - ▶ types of the parameters
  - ▶ Example: function declarations

```
int random();  
void exit(int);  
double square(double);  
int pow(int x, int exponent);
```

    - ▶ The compiler ignores parameter names
    - ▶ Give names if it increases readability
- ▶ A function *definition* contains the implementation
  - ▶ Must only occur once

# Difference from Java

## Function and variable declarations

- ▶ In Java functions and variables can only be declared inside a class.
- ▶ In C++, functions and variables can exist independently of classes.
  - ▶ free functions do not belong to a class
  - ▶ member functions in a class
  - ▶ global variables
  - ▶ member variables

# Function declaration

## Example

### ► Declaration and definition

#### Example: Mean value – variant 1

```
double mean(double x1, double x2) // Declaration and definition
{
    return (x1+x2)/2;
}

int main()
{
    double a=2.3, b=3.9;
    cout << mean(a, b) << endl;
}
```

# Function definition

## With forward declaration

- ▶ Function declaration before use in main()
- ▶ Function definition elsewhere

### Example: mean – variant 2

```
double mean(double, double);           // declaration (prototype)
                                         mean.h

int main()
{
    double a=2.3, b=3.9;
    std::cout << mean(a, b) << endl;    // use
}                                         main.cc

double mean(double x1, double x2)      //definition
{
    return (x1+x2)/2;
}                                         mean.cc
```



# Function definition

## With forward declaration

- ▶ Fuction declaration before use in main()
- ▶ Fuction definition elsewhere

### Example: mean – variant 2

```
double mean(double, double);           // declaration (prototype)
                                         mean.h
```

---

```
#include <iostream>
#include "mean.h"
```

```
int main()
{
    double a=2.3, b=3.9;
    std::cout << mean(a, b) << endl;    // use
}
```

---

main.cc

```
double mean(double x1, double x2)      //definition
{
    return (x1+x2)/2;
}
```

mean.cc

# Functions

## Function calls

The semantics of function argument passing is the same as copy initialization: *(Same as for primitive types in Java)*

- ▶ In a function call, the *values of the arguments* are
  - ▶ type checked, and
  - ▶ with implicit type conversion (if needed)
  - ▶ copied to the function parameters
- ▶ Example: with a function `double square(double d)`

```
double s2 = square(2);           // 2 is converted to double
                                   // double d = 2;

double s3 = square("three");     // error
                                   // double d = "three";
```

# Functions

## Function overloading

### ► Overloading (“överlagring”)

```
void print(int);  
void print(double);  
void print(std::string);
```

```
void user()  
{  
    print(42);        // calls print(int);  
    print(1.23);      // calls print(double);  
    print(4.5f);      // calls print(double);  
    print("Hello")    // calls print(std::string);  
}
```

- Cannot differ only in return type
- Must not be ambiguous

### ► Default arguments (sometimes) similar to overloading

- **void print(int x, std::ostream& out = std::cout);**
- The rules are complex. *Only use for trivial cases*
- Risk of ambiguity if combined with overloading

# Functions

## Call - ambiguity

- ▶ With overloaded functions, the compiler selects “the best” function (after implicit type conversion)
- ▶ If two alternatives are “equally good matches ” it is an error

```
void print2(int, double);  
void print2(double, int);  
  
void user()  
{  
    print2(0, 0);    // Error! ambiguous  
}
```

- ▶ and also (with print() from last slide)

```
long l = 17;  
print(l);           // Error! print(int) or print(double)?
```

# Functions

## Rule of thumb

Factor your code into small functions to

- ▶ give names to activities and document their dependencies
- ▶ avoid writing specific code in the middle of other code
- ▶ facilitate testing
- ▶ A function should perform a single task
- ▶ Keep functions as short as possible
- ▶ Rule of thumb
  - ▶ Max 24 lines
  - ▶ Max 80 columns
  - ▶ Max 3 block levels
  - ▶ Max 5–10 local variables
  - ▶ Inversely proportional to complexity

# Call by value and call by reference

## Call by value(*värdeanrop*)

In a 'normal' function call, the values of the arguments are copied to the formal parameters (which are local variables)

### Example: swap two integer values

```
void swap(int a, int b)
{
    auto tmp=a;    // int tmp = a;
    a = b;
    b = tmp;
}
```

...and use:

```
int x = 2;
int y = 10;
```

```
swap(x, y);
```

```
cout << x " , " << y << endl;
```

2,10

x and y are not changed

# Call by value and call by reference

## Call by reference(*referensanrop* )

Use *call by reference* instead of *call by value*:

### Example: swap two integer values

```
void swap(int& a, int& b)
{
    auto tmp=a;
    a = b;
    b = tmp;
}...and use:
int x = 2; int y = 10;

swap(x, y);
```

**NB!** The argument for a reference parameter must be an *lvalue*

The call `swap(x,15);` gives the error message

invalid initialization of non-const reference of type "int&"  
from an rvalue of type 'int'

- ▶ A reference is *an alias* for a variable



# Variables

## Automatic type inference

**auto:** The compiler deduces the type from the initialization.

### Declaration and initialization

```
auto x = 7;                // int x
auto c = 'c';              // char c
auto b = true;             // bool b
auto d = 7.8;               // double d

std::vector<int> v;
auto it = v.begin();        // std::vector<int>::iterator it

double calc_epsilon();
auto ep = static_cast<float>(calc_epsilon()); // float ep
```

*In float ep = calc\_epsilon(); the narrowing is not obvious* NB!  
with **auto** there is no risk of narrowing type conversion, so using = is safe.

# The usual arithmetic conversions

*The compiler tries really hard to compile your program.*

Example

*Do not mix signed and unsigned values!*

Mostly the same syntax as in Java:

- ▶ `if`, `switch`
- ▶ `for`, `while`, `do while`
- ▶ `break`, `continue`

but *`goto` is spelled differently:*

- ▶ No `break` to a label
- ▶ `goto` (used in C, rarely used in C++)

# Operators

Operators and expressions quite similar to Java

The same as in Java

E.g., + - \* / % ++ -- += -= \*= && || & | etc., and [] . ?:

The trinary operator ?: (like in Java)

```
z = (x>y) ? x : y;
```

```
if (x>y)
    z=x;
else
    z=y;
```

Many more, including

Pointer operators: \* & ->

Input and output: << >> (*overloaded shift operators*)

sizeof, decltype (*compile-time*)

# Suggested reading

References to sections in Lippman

Functions 6.1 (p 201–207)

Arithmetic 4.1–4.5, 4.11

Constants 2.4 2.4.4 (p 59–60, 65–66)

Pointers and references 2.3 (p 50–59)

# Next lecture

## Types

References to sections in Lippman

Types, variables 2.1, 2.2, 2.5.2 (p 31–37, 41–47, 69)

Type aliases 2.5.1

Type deduction (auto) 2.5.2

Pointers and references 2.3

Scope and lifetimes 2.2.4, 6.1.1

const, constexpr 2.4

Arrays and pointers 3.5

Classes 2.6, 7.1.4, 7.1.5, 13.1.3

std::string 3.2

std::vector 3.3

enumeration types 19.3